

Safety data sheet

Page: 1/10

BASF Safety data sheet
Date / Revised: 02.11.2013
Product: **TERMIDOR® 100 SC**

Version: 1.0

(30551517/SDS_CPA_NZ/EN)

Date of print 09.11.2013

1. Substance/preparation and company identification

TERMIDOR® 100 SC

Use: crop protection product, insecticide

Manufacturer/supplier:

BASF New Zealand Limited
Level 4, 4 Leonard Isitt Drive, Auckland Airport, Auckland 2022
PO Box 407 Shortland Street, Auckland 1140, NEW ZEALAND
Telephone: +64 9 255-4300
Telefax number: +64 9 255-4307

Emergency information:

National Poisons Centre: 0800 764 766
BASF Emergency Advice Number: 0800 944 955 (24 hour advice in an emergency only)
BASF Emergency Advice Number: +61 3 8855 6666 (If calling from outside New Zealand)

2. Hazard identification

The product contains: 1,2-benzisothiazol-3(2H)-one
May produce an allergic reaction.

Classification: Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001
(New Zealand)

Subclasses: Subclass 6.1 Category D - Substance which are acutely toxic
Subclass 6.9 Category B - Substance which are target organ systemic toxicants
Subclass 9.1 Category A - Substance that are ecotoxic to aquatic environment

3. Composition/information on ingredients

Chemical nature

biocide, insecticide, suspension concentrate (SC)

Hazardous ingredients

Fipronil

Content (W/W): 9.4 %
CAS Number: 120068-37-3

sodium alkylnaphthalene sulphonate, formaldehyde condensate

Content (W/W): < 5 %
Hazard symbol(s): Xi
R-phrase(s): 36/38

1,2-benzisothiazol-3(2H)-one

Content (W/W): < 0.05 %
CAS Number: 2634-33-5

propane-1,2-diol

Content (W/W): < 5 %
CAS Number: 57-55-6

The wording of the hazard symbols and R-phrases is specified in section 16 if dangerous ingredients are mentioned.

4. First-Aid Measures

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Note to physician:

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:
water spray, carbon dioxide, foam, dry powder

Specific hazards:
carbon monoxide, hydrogen chloride, hydrogen fluoride, carbon dioxide, nitrogen oxides, sulfur oxides, organochloric compounds
The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:
Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:
In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions:
Use personal protective clothing. Avoid contact with the skin, eyes and clothing. Do not breathe vapour/spray.

Environmental precautions:
Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:
For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).
For large amounts: Dike spillage. Pump off product.
Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

7. Handling and Storage

Handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:
No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

Storage

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability:

Storage duration: 24 Months

Protect from temperatures below: 0 °C

It is not necessary to protect the product from falling below the indicated temperature.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

8. Exposure controls and personal protection

Components with occupational exposure limits

no exposure standard allocated

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for higher concentrations or long-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).

Hand protection:

Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) and other

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form: liquid
Colour: off-white
Odour: faintly aromatic

pH value:	approx. 6 - 8 (1 %(m), 20 °C) (as suspension)
Freezing point:	-4 °C
Boiling point:	100 °C
Flash point:	No flash point - Measurement made up to the boiling point.
Flammability:	Based on the structure or composition there is no indication of flammability
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Ignition temperature:	Based on the water content the product does not ignite.
Explosion hazard:	Based on the chemical structure there is no indicating of explosive properties.
Fire promoting properties:	not fire-propagating
Vapour pressure:	approx. 23.4 hPa (20 °C) Information applies to the solvent.
Density:	approx. 1.07 g/cm ³ (20 °C)
Relative vapour density (air):	not determined
Solubility in water:	dispersible
Partitioning coefficient n-octanol/water (log Pow):	not applicable
Viscosity, dynamic:	20 mPa.s (20 °C, 100 1/s)

Other Information:

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

10. Stability and Reactivity

Conditions to avoid:

See MSDS section 7 - Handling and storage.

Thermal decomposition: not determined

Substances to avoid:

strong bases, strong acids, strong oxidizing agents

Hazardous reactions:

No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation. Of moderate toxicity after single ingestion. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

LD50 rat (oral): 300 - 2,000 mg/kg

LC50 rat (by inhalation): > 1.7 mg/l 4 h

Highest concentration available for testing. No mortality was observed. An aerosol was tested.

LD50 rat (dermal): > 2,000 mg/kg

Irritation

Assessment of irritating effects:

Not irritating to the skin. Not irritating to the eyes. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Primary skin irritation rabbit: non-irritant

Primary irritations of the mucous membrane rabbit: non-irritant

Sensitization

Assessment of sensitization:

There is no evidence of a skin-sensitizing potential. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

modified Buehler test guinea pig: Skin sensitizing effects were not observed in animal studies.

Repeated dose toxicity

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fipronil

Assessment of repeated dose toxicity:

Causes mortality and signs of neurotoxicity through prolonged or repeated exposure.

Genetic toxicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fipronil

Assessment of carcinogenicity:

In long-term studies in rats the substance induced thyroid tumors. The effect is caused by an animal specific mechanism that has no human counter part. In long-term studies in mice in which the substance was given by feed, a carcinogenic effect was not observed.

Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Other relevant toxicity information

Misuse can be harmful to health.

The product contains: 1,2-benzisothiazol-3(2H)-one
May produce an allergic reaction.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Very toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

Information on: Fipronil

Toxicity to fish:

LC50 (96 h) 0.0852 mg/l, *Lepomis macrochirus*

Information on: Fipronil

Aquatic invertebrates:

EC50 (48 h) 0.19 mg/l, *Daphnia magna*

LC50 (10 d) 0.00043 mg/l, aquatic arthropod

Information on: fipronil

Aquatic plants:

EC50 (96 h) 0.068 mg/l (biomass), *Scenedesmus subspicatus*

Mobility

Assessment transport between environmental compartments:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: fipronil

Assessment transport between environmental compartments:

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Persistence and degradability

Assessment biodegradation and elimination (H₂O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fipronil

Assessment biodegradation and elimination (H₂O):

Not readily biodegradable (by OECD criteria).

Bioaccumulation potential

Assessment bioaccumulation potential:

BASF Safety data sheet
Date / Revised: 02.11.2013
Product: **TERMIDOR® 100 SC**

Version: 1.0

(30551517/SDS_CPA_NZ/EN)

Date of print 09.11.2013

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: fipronil
Bioaccumulation potential:
Bioconcentration factor: 321, *Lepomis macrochirus*
Accumulation in organisms is not to be expected.

Additional information

Other ecotoxicological advice:
Do not discharge product into the environment without control.

13. Disposal Considerations

Must be disposed of or incinerated in accordance with local regulations.

Contaminated packaging:
Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Domestic transport:

Hazard class:	9
Packing group:	III
ID number:	UN 3082
Hazard label:	9, EHSM
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains FIPRONIL)

Further information

Hazchem Code:3Z
IERG Number:47

Sea transport

IMDG

Hazard class:	9
Packing group:	III
ID number:	UN 3082
Hazard label:	9, EHSM
Marine pollutant:	YES
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains FIPRONIL)

Air transport

IATA/ICAO

BASF Safety data sheet
Date / Revised: 02.11.2013
Product: **TERMIDOR® 100 SC**

Version: 1.0

(30551517/SDS_CPA_NZ/EN)

Date of print 09.11.2013

Hazard class: 9
Packing group: III
ID number: UN 3082
Hazard label: 9, EHSM
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S. (contains FIPRONIL)

15. Regulatory Information

Classification: Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001
(New Zealand)

Subclasses: Subclass 6.1 Category D - Substance which are acutely toxic
Subclass 6.9 Category B - Substance which are target organ systemic
toxicants
Subclass 9.1 Category A - Substance that are ecotoxic to aquatic
environment

Hazard determining component(s) for labelling: FIPRONIL

Other regulations

For the user of this plant-protective product applies: 'To avoid risks to man and the environment, comply with the instructions for use.' (Directive 1999/45/EC, Article 10, No. 1.2)

Registration status:

NZIOC, NZ released / listed
HSR100550

16. Other Information

Full text of hazard symbols and R-phrases if mentioned as hazardous components in section 3:
Xi Irritant.
36/38 Irritating to eyes and skin.

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The data do not describe the product's properties (product specification). Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.