



Residual insecticide for the control of ants in external areas and surrounds of domestic, commercial, public and industrial buildings and structures.

Contains 100 g/litre fipronil in the form of a suspension concentrate.

WARNING
Keep out of reach of children

TO BE USED BY REGISTERED PEST CONTROL TECHNICIANS ONLY
READ LABEL COMPLETELY BEFORE OPENING OR USING

NET CONTENTS: 1 Litre

Registered to and distributed by:
BASF New Zealand Limited
P.O. Box 407, Auckland 1140
Phone: 0800-932-273
Fax: 0800-940-000



© Registered Trademark of BASF

SPECIMEN LABEL

Hazard Classification

6.1D, 6.9B, 9.1A, 9.3B, 9.4A



WARNING

HARMFUL. May be harmful if swallowed, inhaled or absorbed through the skin. May cause damage to the nervous system from repeated oral exposure at high doses. **VERY TOXIC TO AQUATIC ORGANISMS.** Treatment runoff may be hazardous to aquatic organisms in neighbouring areas. **TOXIC TO TERRESTRIAL VERTEBRATES.** Toxic to birds. **VERY TOXIC TO TERRESTRIAL INVERTEBRATES.**

PRECAUTIONS

HANDLING: This product must be under the personal control of an **APPROVED HANDLER** during use in a wide dispersive manner or by a commercial contractor.

STORAGE: Store in original container, tightly closed, in a cool, well ventilated area away from food, feedstuffs, animals, or fertilisers, and under lock and key. Do **NOT** store product or diluted spray mix in direct sunlight and protect from frost. Stores containing more than 100 litres require emergency response plans and secondary containment systems, and are subject to signage.

TRANSPORT: Do **NOT** carry this product on a passenger service vehicle.

SPILLAGE: Prevent any product from entering drains. Wear appropriate protective clothing. Absorb spill with an inert material (such as vermiculite, clay granules or synthetic absorbent) and place in a labelled, sealable container for disposal. Wash the spill area with water and detergent, then absorb the washings and place in the same sealable container. Dispose of the container in an approved landfill or under at least 50 cm of soil in a non-crop, non-pasture area away from water sources and homes.

PERSONAL PROTECTION: When opening the container, preparing spray and using the spray mix, wear chemical resistant clothing, buttoned to the neck and wrist, a washable hat, boots, impervious gloves, and goggles or face shield.

GENERAL SAFETY AND HYGIENE MEASURES: Avoid contact with skin or inhalation of spray mist. Wash splashes of concentrate from skin and eyes immediately. Do **NOT** eat, drink or smoke while using this product. Wash the outside of gloves before removing. Remove protective clothing and wash hands and exposed skin thoroughly with soap and water before meals and after work. After each day's use, wash gloves, contaminated clothing, and face protection. Store work clothing separately.

USE: Before spraying advise residents to remove pets from the area to be treated. Cover or remove (as applicable) fish ponds, aquariums, bird cages, and open food and water containers before spraying. Do **NOT** allow residents, children, other persons or pets into the immediate area during application. Doors and windows adjacent to the application site must be closed during surface application. Apply the spray with well-maintained and accurately calibrated equipment. An inspection should be carried out after treatment to ensure that no spillages or leaks have occurred and if any are identified these must be cleaned up before leaving the application site. Do **NOT** allow people or pets to contact contaminated areas or to re-occupy contaminated areas until the clean up is completed. Avoid application onto or around edible plants.

Very toxic to fish and aquatic organisms. Do **NOT** spray onto or into water. Do **NOT** allow spray drift outside the treatment area to occur. Take care to avoid runoff. Do **NOT** apply if heavy rains are expected to occur within 48 hours of application. Very toxic to bees. Spray must **NOT** contact plants in flower if they are likely to be visited by bees. Clean out application equipment thoroughly after use. Do **NOT** contaminate drains or waterways when disposing of equipment wash waters.

RE-ENTRY PERIOD: Do **NOT** enter treated areas until spray has dried.

RECORD KEEPING: Records of use must be kept.

NOTE: Storage, application and record keeping must be as described in the current version of the New Zealand Standard for the Management of Agrichemicals NZS8409.

DISPOSAL: Container: Do **NOT** reuse or refill the container. Triple rinse empty container and add residue to the spray tank. Recycle through Agrecovery (0800 247 326, www.agrecovery.co.nz).

Product: Do **NOT** dispose of undiluted product on site. Dispose of this product only by using according to the label or at an approved landfill. Do **NOT** burn product or empty container. Do **NOT** contaminate water supply with chemical or empty container.

SPECIMEN LABEL

FIRST AID

If swallowed do NOT induce vomiting. Rinse mouth. For advice, contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If splashed in eyes, wash out immediately with water. If inhaled remove to fresh air immediately and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

GENERAL INFORMATION

TERMIDOR 100SC will control ants by direct contact and residual activity on treated surfaces. When applied as a surface spray as directed, TERMIDOR 100SC will give up to 3 months control of ants and is best applied as ant activity increases in early spring. A follow up application during summer may be required. Do NOT apply more than two TERMIDOR 100SC applications per year for ant control.

DIRECTIONS FOR USE

Note: Read and follow the precautions for use.

Restrictions:

Avoid runoff.

Do NOT apply to excessively wet soils, immediately after or during heavy rain.

Do NOT apply to edible crops.

Do NOT apply at less than the label rate.

Do NOT apply to internal/indoor surfaces.

Pest	Situation	Critical Comments
Rate: 6 ml in 1 litre of water		
Nuisance Ants (nest not found)	External areas and surrounds of domestic, commercial, public and industrial buildings and structures	Apply 1 litre of prepared spray mix per 25 lineal metres as a low-pressure coarse general surface spray along the foundation exterior perimeter. Treat surfaces 300 mm up and 300 mm out from where the building or structure meets the ground. It is recommended to mow lawn and/or prune away vegetation touching or close to the structure before treatment as this may allow ants to inhabit the structure without coming into contact with the treatment. Pay particular attention to potential entry points, such as weep holes, cracks and crevices. Also apply to ant trails and where ants are active away from the nest. Structures may include retaining walls, fences, garden borders, sheds etc.
Nesting Ants (nest found)	Spot application to nests	Apply 1 litre of prepared spray mix per 16 m ² , or 60 ml per m ² . Treat the nest entrance or mound, and also apply to ant trails and where ants are active away from the nest.

MIXING

Half fill the spray tank with water and then add the required quantity of TERMIDOR 100SC. Stir and then top up the spray tank to the required volume. DO NOT use this product in a tank mix with other insecticides as the behaviour and efficacy of the product may be affected. Ensure equipment is free of leaks and clean from residues of other chemicals before mixing TERMIDOR

SPECIMEN LABEL

100SC. The use of a sprayer dedicated for the application of TERMIDOR 100SC is recommended.

CONDITIONS OF SUPPLY

Read conditions of supply before buying and using. If these conditions are unacceptable, return at once unopened. All goods supplied by BASF New Zealand Ltd. are of a high grade and conform to the chemical description of the label. However, to the extent permitted by law, neither BASF nor any of its Distributors accept any liability or responsibility whatsoever for any loss, damage or injury whether direct, indirect or consequential howsoever arising in connection with the supply of those goods including without limitation their storage, application, handling or use. BASF New Zealand Ltd. nor any of its Distributors, make no warranties of any kind, express or implied, with respect to fitness for purpose (including crop injury, ineffectiveness or any other unintended consequence), merchantable quality or any other matter with respect to these goods. When you are a consumer as defined in the Consumer Guarantees Act 1993 (the "Act") these conditions will be subject to the provisions of the Act. However the Act will not apply to goods supplied to you for business purposes.

Approved pursuant to the HSNO Act 1996, Code HSR100550.
See www.ermanz.govt.nz for approval controls.

Date of Manufacture:
Batch Number:

EMERGENCY PHONELINK
24 Hour Advice in an Emergency Only
0800 944 955

© Copyright 2011, BASF New Zealand Limited

■■■■■■■■■■ BAR CODE ■■■■■■■■■■